


A-Series Mechanical Torque Wrench



- $\pm 3\%$ clockwise/counterclockwise accuracy between 20% and 100% of range
- Available in 1/4"~3/4" drive


A-series Mechanical Torque Wrench

Cat. No.	Drive Tang Size	Overall Length	Primary Scale		Ⓜ	Ⓜ	G.W.
			Range	Max Torque			
96211	1/4 in	228 mm	1 nm	5 nm	0	16	9.8 kg
96212	3/8 in	268 mm	5 nm	25 nm	0	16	10.2 kg
96311	1/2 in	472 mm	20 nm	100 nm	0	10	17.2 kg
96312	1/2 in	555 mm	40 nm	200 nm	0	10	18.9 kg
96313	1/2 in	616 mm	68 nm	340 nm	0	10	21.8 kg
96411	3/4 in	864 mm	110 nm	550 nm	0	1	6.7 kg
96412	3/4 in	1107 mm	160 nm	800 nm	0	1	7.3 kg

DIN 152374-919-51903-98



Electronic Torque Wrench



Electronic Torque Wrench

Cat. No.	Drive Tang Size	Overall Length	Primary Scale		📦	📦	G.W.
			Range	Max Torque			
96513	3/8 in	220 mm	27 nm	135 nm	0	1	1.7 kg
96515	1/2 in	220 mm	68 nm	339 nm	0	1	2.5 kg

DIN 152374-919-51903-98



Torque Wrench is a precision instrument. Please refer to warranty conditions on Page 98.

Torque Wrench

CONVERSION FORMULA

1 Nm = 0.1019 Kgm = 0.73756 Ft/Lb

1 Ft/Lb = 0.1383 Kgm = 1.13556 Nm

1 Ft/Lb = 12 Inch/Lb

REPAIR AND CALIBRATION SERVICE

All Torque Wrenches should be checked for accuracy periodically. This should be done at least once a year, or every 10,000 torque application cycles, whichever comes first. Recalibration is also recommended after any abnormal handling.

WARRANTY

SATA Torque Products are warrantee to (1) be free of defects in material and workmanship.

(2) Accuracy standards for calibration are warrantee for 90 days from date of purchase.

Products for which warranty repair is requested should be returned, at Buyer's cost, to your nearest repair center.

SATA Torque Products are precision instruments that contain moving parts. These components are subject to normal wear through use, and replacement there of is the responsibility of the Buyer. Torque Products should be routinely checked for calibration at an authorized repair center using SATA repair parts.

This Warranty shall not apply to Products which have been misused, abused, damaged by accident or otherwise, repaired by anyone other than an authorized repair center or modified by anyone other than SATA Tools.